

TEVO-HD9810 Ptz Video Conference Camera



TEVO-HD9810 3.27 mega effective pixel, 1/2.8" Sony CMOS sensor, 1080P/30, video output (1920X1080). It ensures high definition, while focusing on meeting the needs of the screen fluency.

This camera is suitable for video capture desktop level of small to medium conference rooms and the collection of personal desktop video. It can be "seamless docking, Polycom PVX_8.0, Cisco WebEx series" and other video conferencing software, and other video call.

Main features:

DVI, (Extensible: HDMI , SDI,CVBS)	HD1080P	3.27 mega pixel
10x optical zoom	Pan: 0-360 °Tilt : +/-60 °	RS-232 , RS-422 , RS-485 , IR remote control

Product parameters:

Model No.	TEVO-HD9810	
Image Sensor	Sensor	1/3" Sony CMOS
	Effective pixel	2.1 mega pixel
	Min.	Color:0.1 lux, Black&white:0.01Lux

	illumination	
	White Balance	Auto/manual
	Gain control	Auto
	Backlight compensation	On/Off
	E-shutter	1/1-1/10 , 000S
	SN ratio	>50db
Lens	Focal length	f=5mm~50mm
	Aperture	Auto/manual
	Zoom	10 X optical zoom
	Horizontal view angle	5.3-47 °
Video output	DVI, Extensible interface: HDMI , SDI,CVBS	
Signal system	1080P30,1080P25,1080I60,1080I50,720P60,720P50,720P30,720P25	
Control terminal	RS-232C, RS-485(Bidirectional)	
Control Protocol	VISCA,PELCO-D	
Baud rate	9600/38400bps	
Patrol line	4 cruise sequence	
Preset position	64 preset positions	
Speed Match	Pan/Tilt movement speed depends on camera module zoom in/out	
OSD Menu	Access to OSD Menu and adjust camera module parameters	
Image flip	Support Horizontal/Vertical image flip	
Pan movement speed	1-200 %S	
Tilt movement speed	1-150 %S	
Pan movement range	355 °	
Tilt movement range	Up: 45 ° ; Down: 45 °	
Pan scanning automatically	Support	
Boundary scanning	0-355 ° scanning (programmable)	
Remote controller	IR Wireless Remote controller P/T	
Power supply	DC12V ±10%,1.2A	
Work Temperature	0-50	
Work Humidity	0-95% RH	
Accessories	DC 12Vpower adaptor, IR remote control, manual, serial control line,RS-232C to RS-485 cable, HD DVI cable , Brackets & screws	
Color	Gray	
Dimension(LXWXH)	250mm×140mm×154mm/305mm x 235mm x 230mm(before/after packing)	

Weight	1.40kg/2.98kg(before/after packing)
--------	-------------------------------------

SZ Tenveo video technology co., LTD

Add.: Room511-514,Fengtian New tech building, North Xuegang Road, No.308, Longhua new dist. Baoan District, Shenzhen, CN.

Tel: 86-755-85261373

Fax: 86-755-85258499

Contact: Jane zhang